EP 0 989 531 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 26.06.2002 Bulletin 2002/26

(51) Int CI.7: G07F 17/32

(43) Date of publication A2: 29.03.2000 Bulletin 2000/13

(21) Application number: 99650087.2

(22) Date of filing: 22.09.1999

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI


(30) Priority: 23.09.1998 US 159185

(71) Applicant: ANCHOR GAMING Las Vegas, Nevada 89119 (US) (72) Inventor: Adams, William R. Las vegas Nevada 89117 (US)

 (74) Representative: McCarthy, Denis Alexis et al MacLachian & Donaldson
 47 Merrion Square
 Dublin 2 (IE)

(54) Gaming device with interactive electroluminescent display

(57) Gaming devices with electroluminescent illumination displays wherein the state of the electroluminescent display is changed in response to active input by a player and/or events occurring during the play of the game.



EP 0 989 531 A3



EPO FORM 1503 03.82 (P04C01)

EUROPEAN SEARCH REPORT

Application Number

EP 99 65 0087

	Citation of document with Inc	displace	TILLEVAMI			
ategory	of relevant passa	ges where a	opropriate,	Relevant to dalm	CLASSIFICATION OF T APPLICATION (Int.C.)	HE
x r	DE 41 37 111 A (NSM 13 May 1993 (1993-05 * column 2, line 61 * column 4, line 14	-13) - column 4 - column 5	, line 3 *	1-9,11, 15-24 10,12-14	G07F17/32	
	* claims 1,5,10-13; US 5 807 172 A (PIEC 15 September 1998 (1 * column 3, line 50	 HOWIAK ROB 998-09-15)		10,12-14		
	GB 2 306 746 A (SEIK) 7 May 1997 (1997-05-) * page 5, line 22 - * page 9, line 33 - p * abstract; claim 4;	O PRECISIO 07) line 32 *	N KK)	1-24		
) : :	WO 97 27576 A (CASSOR (US); LOOPER NORMAN (31 July 1997 (1997-07 page 5, line 10 - p	 RLA EARL ;I (US); ADD \ 7-31)	IPSKY MARK /ISION IN)	1-24		
	claims 1,10,13; fig	ures 1,2A-	-B *		TECHNICAL FIELDS SEARCHED (Int.CI.7	— 7
					G07F	
	•					
			·			
	he present search report has been	drawn up for all	claims			
	HE HAGUE	Date of corns	2002	Reule	Examiner .	
: particula : particula docume	GORY OF CITED DOCUMENTS uty relevant if taken alone uty relevant if combined with another nt of the same calegory gical background		T: theory or principle: E: earlier patent docu after the fliing date D: document cited in t	underlying the inver- ment, but published	atlan	

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 99 65 0087

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

06-05-2002

Palent document cited in search report			Publication date		Patent family member(s)		Publication date
DE	4137111	A	13-05-1993	DE	4137111	A1	13-05-1993
US 	5807172	A	15-09-1998	AU WO	4150597 9807124		06-03-1998 19-02-1998
GB	2306746	A	07-05-1997	JP HK	9108405 1008359		28-04-1997 07-04-2000
MO	9727576	Α	31-07-1997	AU AU BR CA CN EP JP NZ WO	2244212 1217805 0876658 2000503125	A A1 A1 A1 T	17-02-2000 20-08-1997 06-04-1999 31-07-1997 26-05-1999 11-11-1998 14-03-2000 29-09-2000 31-07-1997

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

FORM P0459

EP 0 989 531 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 29.03.2000 Bulletin 2000/13

(51) Int Cl.7: G07F 17/32

- (21) Application number: 99650087.2
- (22) Date of filing: 22.09.1999
- (84) Designated Contracting States:

 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU


 MC NL PT SE

 Designated Extension States:

 AL LT LV MK RO SI
- (30) Priority: 23.09.1998 US 159185
- (71) Applicant: ANCHOR GAMING Las Vegas, Nevada 89119 (US)

- (72) Inventor: Adams, William R. Las vegas Nevada 89117 (US)
- (74) Representative: McCarthy, Denis Alexis et al MacLachlan & Donaldson
 47 Merrion Square Dublin 2 (IE)
- (54) Gaming device with interactive electroluminescent display
- (57) Gaming devices with electroluminescent illumination displays wherein the state of the electrolumines-

cent display is changed in response to active input by a player and/or events occurring during the play of the game.



15

25

Description

[0001] The present invention is directed to gaming devices and, more particularly to gaming devices comprising interactive electroluminescent lighting displays.

1

BACKGROUND

[0002] Gaming devices, known in the art, are typically illuminated, while they are being played, and sometimes in an "attract mode". The "attract mode" is typically a repetitive sequence which is designed to attract potential players and passers-by to play the gaming device. Providing flashing lights and sounds in response to different events occurring during the play of a gaming device is also known.

[0003] Electroluminescent lamps have been utilized for different types of lighting such as point-of-purchase advertising displays. Electroluminescent lamps are desirable as they provide a very attractive form of lighting. Since previously known uses of electroluminescence have typically been in an attract mode, it would be desirable to utilize the desirable aspects of electroluminescent lights in a more interactive form with gaming devices.

SUMMARY OF THE INVENTION

[0004] Various embodiments of the present invention provide gaming devices with at least one electroluminescent display wherein the electroluminscent display is changed in response to active input by a player and/ or events occurring during the play of the game. For example, the electroluminscent lighting displays can be changed, within the scope of the present invention in response to the amount of a wager by a player, e.g. the placement of a maximum wager by a player, upon the occurrence of a certain outcome on a primary, secondary and/or subsequent random event, upon receiving certain input from a player to indicate the status of features of a game such as the paylines on a multiple payline slot machine, highlighting a particular game event or game payout, the activation of a secondary event, etc. As used herein, the word "changed" when used in reference to the state of an electroluminescent display device indicates that the display is extinguished, illuminated, or the illumination is modified, for example made brighter or dimmer.

BRIEF DESCRIPTION OF THE DRAWINGS

[0005] Figure 1 illustrates an electroluminescent payline used with one embodiment of the present invention. [0006] Figure 2 illustrates one embodiment of the present invention.

[0007] Figure 3 illustrates a status display of one embodiment of the present invention.

[0008] Figure 4 illustrates a payout indicator of anoth-

er embodiment of the present invention.

DETAILED DESCRIPTION

[0009] The various embodiments of the present invention combine the attractive features of electroluminescent lighting devices with the interactive excitement of gaming devices by providing gaming devices with interactive electroluminescent lighting which changes in response to active input by a player and/or events occurring during the play of the game, i.e. during the play mode of a gaming device. As used herein, the term "play mode" is meant to distinguish the active play of a gaming device from an "attract mode" wherein a game may be on a preprogrammed, continuous and/or repetitive lighting, sound, or demo sequence prior to the commencement of an actual game in order to attract players and potential players.

[0010] According to various embodiments of the present invention, electroluminescent lighting is changed in response to active input by a player or in response to events occurring during the play of a game. As used herein, the term "active input" is meant to indicate a conscious decision by a player which is intended to or has the ability to affect the outcome of game. "Active input", as used herein, does not include the initial decision of a player to simply play a particular game or gaming device, or the act of wagering the minimum wager required by the game or gaming device to initiate play. For example, the electroluminescent lighting displays can be changed within the scope of the present invention in response to the input of a player to hold certain cards, the input of a player to affect other indicia of a game such as selecting from available options, upon receiving certain other input from a player, the wagering of a predetermined amount such as a maximum wager or a wager above some predetermined amount by a player, the occurrence of a certain outcome on a primary, secondary or subsequent random event, to indicate the status of features of a game such as the active paylines on a multiple payline slot machine or in conjunction with other intermediate or final events occurring during the play or at the end of a game.

[0011] Figure 2 illustrates one embodiment of the present invention, though from the present description, those skilled in the art will appreciate that alternative embodiments may be utilized without departing from the scope of the present invention. The embodiment illustrated in Figure 1 comprises a gaming device 100 with a primary gaming unit comprising a three-reel slot machine having primary display 110, control buttons including BET MAX button 130, CHANGE button 132, CASH/CREDIT button 134, BET ONE button 136, SPIN button 138, and SPIN THE WHEEL button 140. In addition, a coin slot 114, currency validator 118 and payout chute 120 are provided. Additionally a secondary event display 150 and a multiplier 160 are provided. While the illustrated gambling device is a very popular gambling

device with a secondary event, the advantages of the present invention can be enjoyed with gambling devices of other forms, including those without secondary events.

[0012] In accordance with this illustrated embodiment, electroluminescent lighting displays are provided in a ring 170 around the secondary even indicator, in a loop 182 around the left reel, a loop 184 around the center reel and a loop 186 around the right reel. These electroluminescent lighting displays are changed when the secondary event is activated and/or when a predetermined symbol is displayed on one of the reel displays.

[0013] According to another preferred embodiment of the present invention, different paylines are provided with different electroluminescent lighting displays. Figure 2 illustrates a reel-type display 200 with five paylines. A first electroluminescent lighting display 205 illuminates a first payline in a first color, a second electroluminescent lighting display 210 illuminates a second payline in a second color, a third electroluminescent lighting display 215 illuminates a third payline in a third color, a fourth electroluminescent lighting display 220 illuminates a fourth payline in a fourth color, and a fifth electroluminescent lighting display 225 illuminates a fifth payline in a fifth color. These different paylines are illuminated in response to different images placed by a player. Additionally, the WINNER PAID window 230 and CREDITS window 240 can also be provided with electroluminescent lighting display. According to one preferred embodiment of the present invention, at least one electroluminescent lighting device is illuminated in order to indicate the paylines which are active.

[0014] According to another embodiment of the present invention, one or more electroluminescent lighting devices are illuminated and extinguished in sequence when a player obtains at least one of a plurality of outcomes on said gaming device. For example, if a player attains a certain payout, then one, and preferably a plurality of electroluminescent devices are illuminated and extinguished in sequence. According to an alternative embodiment of the present invention, the state of the electroluminescent display device can be randomly controlled during the play of a gaming device. While this illustrated embodiment comprises five paylines with five different colors, the advantages of this aspect of the present invention can be realized with two or more paylines.

[0015] Figure 3 illustrates another use of the electroluminescent lighting display on a status display useful with a gaming device. On the illustrated display a first status indicator 310 "INSTANT LANE BONUS" is illuminated when a lane bonus is available to a player. Electroluminescent lighting display 310 is then extinguished when a player qualifies for a second feature and a second electroluminescent lighting display 320 indicating "SPINNERS PAY \$\$\$" is illuminated. Similarly, electroluminescent lighting displays for "MATCH THE SCORE BONUS" 330, "SPIN THE WHEELS" 340 AND "SPIN THE BONUS REEL" 350 are extinguished and illuminated sequentially. Figure 4 illustrates another aspect of the present invention wherein a display indicator comprises payout indicators 410 which are illuminated with an electroluminescent lighting display when the player wins a specific award.

Claims

 A gaming device which is illuminated differently at different times during the play made of the gaming device by a player comprising:

at least one electroluminescent lighting device comprising at least two states of illumination, wherein the state of said electroluminescent lighting device is changed in response to active input by a player.

- A gaming device according to claim 1 wherein the state of said electroluminescent lighting device is changed in response to at least one event occurring during the play of the gaming device.
- 25 3. A gaming device according to claim 1 wherein said active input comprises wagering an amount greater than the minimum amount required to play the gaming device.
- 4. A gaming device according to claim 1 wherein said active input comprises wagering the maximum wager by a player.
- A gaming device according to claim 1 wherein said active input comprises player input to change, hold or select a displayed symbol.
- A gaming device according to claim 1 wherein said active input comprises wagering a portion of winnings during the play mode of a game.
 - A gaming device according to claim 1 wherein said active input comprises the player depressing a button to select at least one of a plurality of options.
 - 8. A gaming device with is illuminated differently at different times during the play of the gaming device by a player comprising:

at least one electroluminescent lighting device comprising at least two states of illumination, wherein the state of said electroluminescent lighting device is changed in conjunction with at least one event occurring during the play mode of the game.

9. A gaming device according to claim 8 wherein said event comprises the activation of a secondary event.

45

10

15

- A gaming device according to claim 8 wherein said event comprises a win on at least one payline.
- 11. A gaming device according to claim 8 wherein said event comprises receipt of a randomly determined outcome which qualifies the player for an award.
- 12. A gaming device which is illuminated differently at different times during the play of the gaming device by a player comprising:

at least one electroluminescent lighting device comprising at least two states of illumination, wherein said electroluminescent lighting device illuminates at least one payline.

- A gaming device according to claim 12 wherein said electroluminescent lighting device illuminates a plurality of paylines.
- 14. A gaming device according to claim 12 wherein said electroluminescent lighting device illuminates at least two different paylines with different colors.
- 15. A gaming device according to claim 8 wherein said electroluminescent lighting device is illuminated in response to input from a player.
- A gaming device according to claim 8 wherein said event is randomly determined.
- 17. A gaming device according to claim 1 further comprising:


means for receiving a wager;
means for randomly determining at least one of a plurality of possible outcomes, said determining means providing at least one signal corresponding to the determined outcome; wherein said an electroluminescent lighting device is operatively linked to said determining means whereby said electroluminescent lighting device is changed in response to said signal.

- 18. A gaming device according to claim 8, wherein said electroluminescent lighting device is linked to a display which comprises at least one reel display.
- 19. A gaming device according to claim 8 wherein said electroluminescent lighting display which comprises at least three reels.
- 20. A gaming device according to claim 8 wherein said electroluminescent lighting display is linked to a display which comprises a video display.
- A gaming device according to claim 8 further comprising a secondary gaming unit comprising means

for displaying a randomly selected second indicia from a plurality of possible secondary indicia.

- 22. A gaming device according to claim 21 wherein said secondary gaming unit comprises a wheel.
- 23. A gaming device according to claim 1 further comprising a secondary gaming unit comprising means for displaying a randomly selected second indicia rom a plurality of possible secondary indicia.
- 24. A gaming device according to claim 23 wherein said secondary gaming unit comprises a wheel.

55







FIG. 2



THIS PAGE BLANK (USPTO)